



Cabinet Dimensions:

	External	Internal
Width (mm):	1282	1191
Depth (mm):	836	633
Height (mm):	1540 (std. castors) 1522 (plinth mount)	1058
Weight (kg):	248	
Capacity (L):	798	
Footprint (m²):	1.07	
Electrical Voltage (V):	220-240	
Electrical Ampere (A):	4.8	
Electrical Frequency (Hz):	50	
MEPS TEC:	16.15	
Refrigerant:	R290 /135 g	

Dimensional Tolerances

Before installing this cabinet allow for the following dimensional tolerances:

Linear Dimensions	Overall Cabinet Dimensions
Less than 1 metre	+5mm
More than 1 metre	-5mm to +10mm
Length of Multiple Cabinets	
At each joint	At each end wall
+5mm	+15mm
-5mm to +10mm	+15mm

SKOPE[®]

Industries Limited

66 Princess St. PO Box 1091
 Christchurch, New Zealand
 New Zealand Freephone: 0900 947 5673
 Australian Freephone: 1800 121 535
 Email: enquiry@skopeco.nz
 Website: www.skopeco.nz

Model:

OD720N

Description:

Open Deck Open Face POS retail Fridge with Integral, Bottom refrigeration services

Unless Otherwise Specified:

Folded Dimension: Overall
 Linear Tolerances: ± 0.5mm
 Angular Tolerances: ± 0.5mm
 Units: Millimeters

Scale:

1 : 20

Revision:

Copyright © SKOPE Industries Limited